

TEMPLATE

A strong and high-performance paper. The product is typically used for making paper patterns for printing industry (for example on weaving of cloth).

PHYSICAL DIMENSIONS

Physical dimensions are according to customer requirements with a maximum of 3.4m wide.

KEY PROPERTIES

- High tear strengths
- High ply bond
- High stiffness

KEY FEATURES & BENEFITS

- Available in grammages from 200 – 900 gsm

POSSIBLE APPLICATIONS

- Templates for cutting fabric for clothing manufacture
- Shoe production
- Leather production
- Textile production
- Tag production



Template Board

Available Grades	Template Board
Grammage	200 gsm
	300 gsm
	630 gsm
	820 gsm
	900 gsm

TECHNICAL DATA

Property	Test Method	Unit	Typical Value
			22 g/m²
Thickness		mm	0.230
Tear Strength	MD	mN	≥1500
Tear Strength	CD	mN	≥1500
Ply Bond		flb	≥100
Stiffness	MD	mN	≥90
Stiffness	CD	mN	≥38
Grammage		g/m ²	280
Density		g/cm ³	0.87
Smoothness	W/S	ml/min	≥500
Smoothness	F/S	ml/min	≥250
Cobb		g/m ²	≥15
Moisture Content		%	≤7.0

Property	Test Method	Unit	Typical Value
			0.240
Thickness		mm	0.300
Tear Strength	MD	mN	≥1500
Tear Strength	CD	mN	≥1500
Stiffness	MD	mN	≥150
Stiffness	CD	mN	≥60
Grammage		g/m ²	300
Density		g/cm ³	1.00
Smoothness	W/S	ml/min	≥350
Smoothness	F/S	ml/min	≥350
Cobb		g/m ²	≥15
Moisture Content		%	≤8.0

TEMPLATE

A strong and high-performance paper. The product is typically used for making paper patterns for printing industry (for example on weaving of cloth).

PHYSICAL DIMENSIONS

Physical dimensions are according to customer requirements with a maximum of 3.4m wide.

KEY PROPERTIES

- High tear strengths
- High ply bond
- High stiffness

KEY FEATURES & BENEFITS

- Available in grammages from 200 – 900 gsm

POSSIBLE APPLICATIONS

- Templates for cutting fabric for clothing manufacture
- Shoe production
- Leather production
- Textile production
- Tag production



Template Board

Available Grades	Template Board
Grammage	200 gsm 300 gsm 630 gsm 820 gsm 900 gsm